

# The **l3benchmark** package

## Experimental benchmarking

The L<sup>A</sup>T<sub>E</sub>X3 Project\*

Released 2019-01-28

## 1 Additions to **l3sys**: elapsed time

---

<code>\sys_gzero_timer:</code>	<code>\sys_gzero_timer:</code>
--------------------------------	--------------------------------

Resets the timer to zero.

---

<code>\sys_timer: ★</code>	<code>\sys_timer:</code>
----------------------------	--------------------------

Expands to the current value of the engine's timer clock, a non-negative integer. In engines without clock support this expands to 0.

## 2 Benchmark

---

<code>\g_benchmark_duration_target_fp</code>
--

This variable (default value: 1) controls roughly for how long `\benchmark:n` will repeat code to more accurately benchmark it. The actual duration of one call to `\benchmark:n` typically lasts between half and twice `\g_benchmark_duration_target_fp` seconds, unless of course running the code only once already lasts longer than this.

---

<code>\benchmark_once:n</code>	<code>\benchmark_once:n {⟨code⟩}</code>
--------------------------------	---

Prints to the terminal the time taken by T<sub>E</sub>X to run the `⟨code⟩`, and an estimated number of elementary operations. The `⟨code⟩` is run only once so the time may be quite inaccurate for fast code.

---

<code>\benchmark:n</code>	<code>\benchmark:n {⟨code⟩}</code>
---------------------------	------------------------------------

Prints to the terminal the time taken by T<sub>E</sub>X to run the `⟨code⟩`, and an estimated number of elementary operations. The `⟨code⟩` may be run many times and not within a group, thus code with side-effects may cause problems.

---

\*E-mail: [latex-team@latex-project.org](mailto:latex-team@latex-project.org)

---

```
\benchmark_tic: \benchmark_tic: (slow code) \benchmark_toc:
\benchmark_toc:
```

---

When it is not possible to run `\benchmark:n` (e.g., the code is part of the execution of a package which cannot be looped) the tic/toc commands can be used instead to time between two points in the code. When executed, `\benchmark_tic:` will print a line to the terminal, and `\benchmark_toc:` will print a matching line with a time to indicate the duration between them in seconds. These commands can be nested.

## Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

B		\benchmark_toc: . . . . . <i>2</i>	
benchmark commands:		S	
\benchmark:n . . . . .	<i>1, 1, 2</i>		
\g_benchmark_duration_target_fp ..	<i>1</i>	sys commands:	
\benchmark_once:n . . . . .	<i>1</i>	\sys_gzero_timer: . . . . .	<i>1</i>
\benchmark_tic: . . . . .	<i>2</i>	\sys_timer: . . . . .	<i>1</i>